

ECONOMICS AND DEMOGRAPHY

Poverty rates and GDP

GDP per capita (PPP\$) (n=49)	4,592	2016
\$1.90/day (%) (n=34)	52	2000–2013
\$3.10/day (%) (n=34)	75	2000–2013

Source: World Bank 2017.
Note: PPP: purchasing power parity.

Indicators show number of countries (n) included in analysis in brackets.

Under-5 mortality rate

Under five mortality rate (deaths per 1,000 live births) (n=54)	72	2015
---	----	------

Source: UN Inter-agency Group for Child Mortality Estimation 2015.

Population

Population (thousands) (n=54)	1,254,582	2017
Under-5 population (thousands) (n=54)	193,718	2017
Urban (%) (n=54)	41	2017
>65 years (%) (n=54)	4	2017

Source: 2017 projections from UN Population Division 2017.
Note: Percentage data are population-weighted means.

CHILD ANTHROPOMETRY

Child anthropometry

Number of children under 5 affected (millions)		
Stunting ¹ (n=51)	59	2016
Wasting ¹ (n=51)	14	2016
Overweight ¹ (n=51)	10	2016

Source: WHO/World Bank Group Joint Child Malnutrition Estimates 2017;¹ UNICEF 2015.²
Note: Percentage data are population-weighted means.

Percentage of children under 5 affected		
Stunting ¹ (n=51)	31	2016
Wasting ¹ (n=51)	7	2016
Severe Wasting ¹ (n=51)	10	2016
Overweight ¹ (n=51)	5	2016
Low birth weight ² (n=48)	14	2000–2012

ADOLESCENT AND ADULT NUTRITION STATUS


Adolescent and adult anthropometry (% population)

Adolescent overweight ¹ (n=0)	NA	2003–2014
Adolescent obesity ¹ (n=0)	NA	2003–2014
Women of reproductive age, thinness ² (n=39)	12	1994–2015
Women of reproductive age, short stature ² (n=39)	2	1994–2015

Source: WHO 2015;¹ DHS 2017.²
Note: NA: not available.

Metabolic risk factors for diet-related non-communicable diseases (%)

■ Raised blood cholesterol (%), 2008 ■ Raised blood glucose (%), 2014
■ Raised blood pressure (%), 2015




Source: WHO 2017 and NCD Risk Factor Collaboration 2017.
Note: n=53. Data are population-weighted means.

Micronutrient status of population

Women of reproductive age with anaemia ¹ (n=54)		
Total population affected (thousands)	109,834	2016
Total population affected (%)	38	2016
Vitamin A deficiency in children 6–59 months old (%) ² (n=52)	42	2013
Population classification of iodine nutrition (age group 5–19 years) ³ (n=38)	Optimal iodine nutrition/mild iodine deficiency	1996–2001

Source: WHO 2017;¹ Stevens et al. 2015;² WHO 2004.³

Prevalence of adult overweight and obesity (%), 2014



Source: WHO 2017 and NCD Risk Factor Collaboration 2017.
Note: BMI: body mass index. n=53. Data are population-weighted means.

PROGRESS AGAINST GLOBAL NUTRITION TARGETS 2017


Under-5 stunting	Under-5 wasting	Under-5 overweight	WRA Anaemia	EBF
6/54 on course	11/55 on course	17/54 on course	0/54 on course	16/54 on course
Adult female obesity	Adult male obesity	Adult female diabetes	Adult male diabetes	
0/54 on course	0/54 on course	0/54 on course	0/54 on course	

Source: UNICEF/WHO/World Bank Group Joint Child Malnutrition Estimates 2017, WHO 2017, Stevens GA et al 2013, and NCD Risk Factor Collaboration 2017.
Notes: Some targets are excluded from analysis as data needs further strengthening or methodological work before it can be used, these are: low birth weight, adolescent obesity, hypertension and salt intake. See Global Nutrition Report 2017, Appendix 1 for more information. EBF: exclusive breastfeeding; NA: not available; WRA: women of reproductive age.

Africa

INTERVENTION COVERAGE AND CHILD-FEEDING PRACTICES

Continuum of care (%)



Source: UNICEF 2016;¹ UN Population Division 2017.²
Note: Data are population-weighted means.

Intervention coverage (%)

Indicator	Percentage (%)	Year
Severe acute malnutrition, geographic coverage ¹ (n=31)	48	2012
Vitamin A supplementation, full coverage ² (n=36)	73	2014
Children under 5 with diarrhoea receiving ORS ² (n=49)	35	2000–2016
Immunization coverage, DTP3 ³ (n=54)	77	2016
Iodized salt consumption ² (n=44)	56	2000–2013

Source: UNICEF/Coverage Monitoring Network/ACF International 2012;¹ UNICEF 2016;² WHO 2016.³
Note: Geographical coverage is defined as the % of physical facilities that provide intervention. Full coverage is defined as the % of children that receive the full intervention (two doses). DTP3: 3 doses of combined diphtheria/tetanus/pertussis vaccine; ORS: oral rehydration salts.


Infant and young-child feeding practices (% 0–23 months)

Indicator	Percentage (%)	Year
Exclusive breastfeeding 0–5 months (n=51)	38	1999–2015
Minimum acceptable diet 6–23 months (n=34)	11	2010–2016
Minimum dietary diversity 6–23 months (n=35)	23	2010–2016

Source: UNICEF 2016.

UNDERLYING DETERMINANTS

Food supply



Source: FAOSTAT 2015;¹ FAOSTAT 2014.²
Note: n is between 35 and 45 depending on the indicator and year.

Gender-related determinants

Indicator	Value	Year
Early childbearing: births by age 18 (%) ¹ (n=47)	23	2001–2015
Gender Inequality Index (score*) ² (n=41)	0.55	2015
Female secondary education enrolment rate (%) ³ (n=32)	43	2006–2012


Source: UNICEF 2016;¹ UNDP 2016;² UNESCO Institute for Statistics 2017.³
Note: *0: low inequality, 1: high inequality.

Population density of health workers per 1,000 people

Indicator	Value	Year
Physicians (n=53)	0.39	1998–2015
Nurses and midwives (n=53)	1.16	1994–2015
Community health workers (n=33)	0.23	1992–2013


Source: WHO 2017.

Improved drinking water coverage (%)




Source: WHO/UNICEF Joint Monitoring Programme 2017.
Note: Due to rounding, numbers might not add up to 100. n is between 51 and 54 depending on the indicator and year.

Improved sanitation coverage (%)



Source: WHO/UNICEF Joint Monitoring Programme 2017.
Note: Due to rounding, numbers might not add up to 100. n is between 53 and 54 depending on the indicator and year.

Government expenditures (%)



Source: IFPRI 2015.
Note: n is between 21 and 34 depending on the indicator and year.

FINANCIAL RESOURCES AND POLICY, LEGISLATION, AND INSTITUTIONAL ARRANGEMENTS

Scaling Up Nutrition (SUN) country institutional transformations (%), 2017



Source: SUN 2017.
Note: Data are population-weighted means from 33 SUN member countries.

Policy and legislative provisions

Indicator	Level	Year
National implementation of the International Code of Marketing of Breast-milk Substitutes ¹ (n=54)	Full/Many provisions in law	2016
Extent of constitutional right to food ² (n=37)	Medium	2003
Maternity Protection Convention 183 ³ (n=51)	Partial protection	2011
Wheat fortification legislation ⁴ (n=52)	Mandatory/No fortification	2015

Source: WHO/UNICEF and IBFAN 2016;¹ FAO 2003;² ILO 2013;³ FFI 2015;⁴ IDS 2015.⁵

Availability and stage of implementation of guidelines/protocols/standards for the management of NCDs

Indicator	Availability	Year
All major NCDs (n=54)	Unavailable	2015

Source: WHO 2015.
Note: NCDs: non-communicable diseases.