

FIGURE 1.5b
Country-level progress towards the global nutrition targets, by indicator

Key

Maternal, infant and young child nutrition indicators

✓	On course	✗	Off course
✓	Some progress	✗	No progress or worsening
?	No data or insufficient data for assessment	?	No data or insufficient data for assessment

Country	Maternal, infant and young child nutrition indicators					
	Childhood stunting	Anaemia	Low birth weight	Childhood overweight	Exclusive breastfeeding	Childhood wasting
Africa						
Algeria	✓	✗	✗	✓	✗	✓
Angola	✗	✗	✓	✗	?	✓
Benin	✓	✗	✓	✗	✓	✗
Botswana	✓	✗	✓	✓	?	?
Burkina Faso	✓	✗	✓	✗	✓	✓
Burundi	✗	✗	✓	✗	✓	✓
Cabo Verde	✓	✓	?	?	?	?
Cameroon	✓	✗	✗	✗	✓	✓
Central African Republic	✗	✗	✓	✓	✓	✓
Chad	✓	✓	?	✗	✓	✓
Comoros	✓	✗	✓	✓	?	?
Congo	✓	✓	✓	✓	✓	✗
Congo (Democratic Republic Of The)	✓	✓	✓	✓	✓	✓
Cote D Ivoire	✓	✗	✓	✗	✓	✓
Djibouti	✗	✗	?	✓	?	?
Egypt	✗	✓	?	✗	✗	✗
Equatorial Guinea	✓	✓	?	✓	?	?
Eritrea	✗	✗	?	✗	?	?
Eswatini	✓	✗	✓	✓	✓	✓
Ethiopia	✓	✗	?	✓	✗	✓
Gabon	✓	✓	✗	✗	?	?
Gambia	✓	✓	✓	✗	✓	✓
Ghana	✓	✓	✓	✗	✗	✓
Guinea	✓	✓	?	✗	✓	✗
Guinea Bissau	✓	✓	✓	✗	✓	✗
Kenya	✓	✗	✓	✓	✓	✓
Lesotho	✓	✗	✗	✓	✓	✓
Liberia	✓	✗	?	✗	✗	✓
Libya	✗	✗	?	✓	?	?
Madagascar	✓	✗	✓	✓	✗	✓
Malawi	✓	✗	✓	✓	✗	✓
Mali	✓	✗	?	✗	✓	✗
Mauritania	✓	✓	?	✗	✓	✗

Source: UNICEF global databases Infant and Young Child Feeding (last available year 2019), UNICEF/WHO/World Bank Group: Joint child malnutrition estimates (last available year 2020), NCD Risk Factor Collaboration (last available year 2019 projections), WHO Global Health Observatory (last available year 2015), Global Dietary Database (last available year 2018).

Key

Nutrition-related NCD indicators

✓	On course	✗	Off course
?	No data or insufficient data for assessment	?	No data or insufficient data for assessment

Country	Nutrition-related NCD indicators						
	Sodium intake (women and men)	Raised blood pressure (women)	Raised blood pressure (men)	Obesity (women)	Obesity (men)	Diabetes (women)	Diabetes (men)
Africa							
Algeria	✗	✗	✗	✗	✗	✗	✗
Angola	✗	✗	✗	✗	✗	✗	✗
Benin	✗	✗	✗	✗	✗	✗	✗
Botswana	✗	✗	✗	✗	✗	✗	✗
Burkina Faso	✗	✗	✗	✗	✗	✗	✗
Burundi	✗	✗	✗	✗	✗	✗	✗
Cabo Verde	✗	✗	✗	✗	✗	✗	✗
Cameroon	✗	✗	✗	✗	✗	✗	✗
Central African Republic	✗	✗	✗	✗	✗	✗	✗
Chad	✗	✗	✗	✗	✗	✗	✗
Comoros	✗	✗	✗	✗	✗	✗	✗
Congo	✗	✗	✗	✗	✗	✗	✗
Congo (Democratic Republic Of The)	✗	✗	✗	✗	✗	✗	✗
Cote D Ivoire	✗	✗	✗	✗	✗	✗	✗
Djibouti	✗	✗	✗	✗	✗	✗	✗
Egypt	✗	✗	✗	✗	✗	✗	✗
Equatorial Guinea	✗	✗	✗	✗	✗	✗	✗
Eritrea	✗	✗	✗	✗	✗	✗	✗
Eswatini	✗	✗	✗	✗	✗	✗	✗
Ethiopia	✗	✗	✗	✗	✗	✗	✗
Gabon	✗	✗	✗	✗	✗	✗	✗
Gambia	✗	✗	✗	✗	✗	✗	✗
Ghana	✗	✗	✗	✗	✗	✗	✗
Guinea	✗	✗	✗	✗	✗	✗	✗
Guinea Bissau	✗	✗	✗	✗	✗	✗	✗
Kenya	✗	✗	✗	✗	✗	✗	✗
Lesotho	✗	✗	✗	✗	✗	✗	✗
Liberia	✗	✗	✗	✗	✗	✗	✗
Libya	✗	✗	✗	✗	✗	✗	✗
Madagascar	✗	✗	✗	✗	✗	✗	✗
Malawi	✗	✗	✗	✗	✗	✗	✗
Mali	✗	✗	✗	✗	✗	✗	✗
Mauritania	✗	✗	✗	✗	✗	✗	✗

Notes: Data availability and methodology differ between targets. Data for the MIYCN indicators, excluding anaemia and low birth weight, is based on surveys that mostly cover low-income and lower-middle-income countries, thus no data is available for the higher-middle- and high-income countries. Data for anaemia, low birth weight and all the NCD indicators is available for all countries, but based on modelled estimates and age-standardised using the WHO standard population, which may differ from national surveys.

Key

Maternal, infant and young child nutrition indicators

✓	On course	✗	Off course
✓	Some progress	✗	No progress or worsening
?	No data or insufficient data for assessment	?	No data or insufficient data for assessment

Country	Maternal, infant and young child nutrition indicators					
	Childhood stunting	Anaemia	Low birth weight	Childhood overweight	Exclusive breastfeeding	Childhood wasting
Mauritius	✗	✗	✗	✓	?	?
Morocco	✓	✗	✗	✓	✓	✓
Mozambique	✓	✗	✓	✓	✓	✓
Namibia	✓	✗	✗	✗	?	?
Niger	✗	✗	?	✗	✓	✓
Nigeria	✓	✗	?	✓	✓	✓
Rwanda	✓	✓	✓	✓	✓	✓
Sao Tome And Principe	✓	✗	✓	✗	✓	✓
Senegal	✓	✓	✓	✗	✓	✗
Seychelles	✓	✗	✗	✓	?	?
Sierra Leone	✓	✗	✓	✗	✓	✓
Somalia	✓	✗	?	✓	✓	?
South Africa	✗	✗	✗	✓	?	✓
South Sudan	✓	✗	?	✓	?	?
Sudan	✓	✗	?	✓	✓	✗
Tanzania	✓	✓	✓	✗	✓	✓
Togo	✓	✓	✗	✗	✓	✗
Tunisia	✓	✗	✗	✗	✓	✓
Uganda	✓	✗	?	✓	✓	✓
Zambia	✓	✗	✓	✓	✗	✓
Zimbabwe	✓	✓	✗	✓	✓	✓

Asia

Afghanistan	✓	✗	?	✓	✓	✓
Armenia	✓	✗	✗	✓	✓	✓
Azerbaijan	✓	✗	✗	✓	?	✓
Bahrain	✓	✗	✗	✗	?	?
Bangladesh	✓	✗	✓	✗	✓	✓
Bhutan	✓	✗	✓	✓	✓	?
Brunei	✓	✗	✓	✓	?	?
Cambodia	✓	✗	✓	✗	✗	✗
China	✓	✗	✗	✗	✗	✓
Cyprus	?	✗	?	?	?	?
Dem. People's Republic Of Korea	✓	✗	?	✗	✓	✓
Georgia	✓	✗	✗	✓	✗	✓
India	✓	✗	?	✓	✓	✗
Indonesia	✓	✗	✓	✗	✓	✓
Iran	✗	✗	?	✓	?	?
Iraq	✓	✓	?	✓	✓	✓

Source: UNICEF global databases Infant and Young Child Feeding (last available year 2019), UNICEF/WHO/World Bank Group: Joint child malnutrition estimates (last available year 2020), NCD Risk Factor Collaboration (last available year 2019 projections), WHO Global Health Observatory (last available year 2015), Global Dietary Database (last available year 2018).

Key

Nutrition-related NCD indicators

✓	On course
✗	Off course
?	No data or insufficient data for assessment

Country	Nutrition-related NCD indicators						
	Sodium intake (women and men)	Raised blood pressure (women)	Raised blood pressure (men)	Obesity (women)	Obesity (men)	Diabetes (women)	Diabetes (men)
Mauritius	✗	✗	✗	✗	✗	✗	✗
Morocco	✗	✗	✗	✗	✗	✗	✗
Mozambique	✗	✗	✗	✗	✗	✗	✗
Namibia	✗	✗	✗	✗	✗	✗	✗
Niger	✗	✗	✗	✗	✗	✗	✗
Nigeria	✗	✗	✗	✗	✗	✗	✗
Rwanda	✗	✗	✗	✗	✗	✗	✗
Sao Tome And Principe	✗	✗	✗	✗	✗	✗	✗
Senegal	✗	✗	✗	✗	✗	✗	✗
Seychelles	✗	✗	✗	✗	✗	✗	✗
Sierra Leone	✗	✗	✗	✗	✗	✗	✗
Somalia	?	✗	✗	✗	✗	✗	✗
South Africa	✗	✗	✗	✗	✗	✗	✗
South Sudan	✗	?	?	?	?	?	?
Sudan	✗	✗	✗	✗	✗	✗	✗
Tanzania	✗	✗	✗	✗	✗	✗	✗
Togo	✗	✗	✗	✗	✗	✗	✗
Tunisia	✗	✗	✗	✗	✗	✗	✗
Uganda	✗	✗	✗	✗	✗	✗	✗
Zambia	✗	✗	✗	✗	✗	✗	✗
Zimbabwe	✗	✗	✗	✗	✗	✗	✗

Asia

Afghanistan	✗	✗	✗	✗	✗	✗	✗
Armenia	✗	✗	✗	✗	✗	✗	✗
Azerbaijan	✗	✗	✗	✗	✗	✗	✗
Bahrain	✗	✗	✗	✗	✗	✗	✗
Bangladesh	✗	✓	✗	✗	✗	✗	✗
Bhutan	✗	✗	✗	✗	✗	✗	✗
Brunei	✗	✗	✗	✗	✗	✓	✗
Cambodia	✗	✗	✗	✗	✗	✗	✗
China	✗	✗	✗	✗	✗	✗	✗
Cyprus	✗	✓	✗	✗	✗	✗	✗
Dem. People's Republic Of Korea	?	✗	✗	✗	✗	✗	✗
Georgia	✗	✗	✗	✗	✗	✗	✗
India	✗	✗	✗	✗	✗	✗	✗
Indonesia	✗	✗	✗	✗	✗	✗	✗
Iran	✗	✓	✗	✗	✗	✗	✗
Iraq	✗	✗	✗	✗	✗	✗	✗

Notes: Data availability and methodology differ between targets. Data for the MIYCN indicators, excluding anaemia and low birth weight, is based on surveys that mostly cover low-income and lower-middle-income countries, thus no data is available for the higher-middle- and high-income countries. Data for anaemia, low birth weight and all the NCD indicators is available for all countries, but based on modelled estimates and age-standardised using the WHO standard population, which may differ from national surveys.

Key

Maternal, infant and young child nutrition indicators

✓	On course	✗	Off course
✓	Some progress	✗	No progress or worsening
?	No data or insufficient data for assessment	?	No data or insufficient data for assessment

Country	Childhood stunting	Anaemia	Low birth weight	Childhood overweight	Exclusive breastfeeding	Childhood wasting
Israel	?	✗	✓	?	?	?
Japan	✓	✗	✗	✗	?	?
Jordan	✓	✗	✗	✗	✗	?
Kazakhstan	✓	✗	✓	✓	✓	✓
Korea (Republic Of)	✓	✗	✗	✗	?	?
Kuwait	✗	✗	✗	✓	?	✓
Kyrgyz Republic	✓	✗	✓	✓	✗	✓
Lao Pdr	✓	✗	✓	✗	✓	✗
Lebanon	✓	✗	✗	✓	?	?
Malaysia	✗	✗	✗	✓	?	✗
Maldives	✓	✗	✓	✓	✓	✗
Mongolia	✓	✗	✓	✓	✗	✓
Myanmar	✓	✗	✓	✓	✓	✓
Nepal	✓	✗	✓	✗	✗	✗
Occupied Palestinian Territory	✓	✗	✗	✓	✓	✓
Oman	✗	✗	✗	✗	✗	✗
Pakistan	✓	✗	?	✓	✓	✓
Philippines	✓	✓	✗	✗	✓	✗
Qatar	✓	✗	✓	✓	?	?
Saudi Arabia	✓	✗	?	✗	?	?
Singapore	✓	✗	✗	✗	?	?
Sri Lanka	✓	✗	✓	✓	✓	✗
Syria	✗	✗	?	✓	✗	?
Tajikistan	✓	✗	✓	✓	✓	✓
Thailand	✓	✗	✓	✓	✗	✗
Timor-Leste	✓	✗	?	✓	✓	✓
Turkey	?	?	✓	?	✗	✓
Turkmenistan	✓	✗	✓	✓	✗	✓
United Arab Emirates	?	✗	✗	?	?	?
Uzbekistan	✓	✓	✗	✓	?	✓
Viet Nam	✓	✗	✓	✗	✓	✓
Yemen	✓	✗	?	✓	?	✗

Europe

Albania	✓	✗	✓	✓	✗	✓
Andorra	?	✗	✗	?	?	?
Austria	?	✗	✓	?	?	?
Belarus	✓	✗	✗	✓	✗	?
Belgium	✓	✗	✗	✗	?	?

Source: UNICEF global databases Infant and Young Child Feeding (last available year 2019), UNICEF/WHO/World Bank Group: Joint child malnutrition estimates (last available year 2020), NCD Risk Factor Collaboration (last available year 2019 projections), WHO Global Health Observatory (last available year 2015), Global Dietary Database (last available year 2018).

Key

Nutrition-related NCD indicators

✓	On course
✗	Off course
?	No data or insufficient data for assessment

Country	Sodium intake (women and men)	Raised blood pressure (women)	Raised blood pressure (men)	Obesity (women)	Obesity (men)	Diabetes (women)	Diabetes (men)
Israel	✗	✓	✓	✗	✗	✗	✗
Japan	✗	✓	✗	✗	✗	✓	✗
Jordan	✗	✓	✗	✗	✗	✗	✗
Kazakhstan	✗	✗	✗	✗	✗	✗	✗
Korea (Republic Of)	✗	✓	✓	✗	✗	✗	✗
Kuwait	✗	✓	✗	✗	✗	✗	✗
Kyrgyz Republic	✗	✗	✗	✗	✗	✗	✗
Lao Pdr	✗	✗	✗	✗	✗	✗	✗
Lebanon	✗	✗	✗	✗	✗	✗	✗
Malaysia	✗	✗	✗	✗	✗	✗	✗
Maldives	✗	✗	✗	✗	✗	✗	✗
Mongolia	✗	✗	✗	✗	✗	✗	✗
Myanmar	✗	✗	✗	✗	✗	✗	✗
Nepal	✗	✗	✗	✗	✗	✗	✗
Occupied Palestinian Territory	✗	✗	✗	✗	✗	✗	✗
Oman	✗	✓	✗	✗	✗	✗	✗
Pakistan	✗	✗	✗	✗	✗	✗	✗
Philippines	✗	✗	✗	✗	✗	✗	✗
Qatar	✗	✓	✗	✗	✗	✗	✗
Saudi Arabia	✗	✓	✗	✗	✗	✗	✗
Singapore	✗	✓	✓	✗	✗	✓	✗
Sri Lanka	✗	✗	✗	✗	✗	✗	✗
Syria	✗	✗	✗	✗	✗	✗	✗
Tajikistan	✗	✗	✗	✗	✗	✗	✗
Thailand	✗	✗	✗	✗	✗	✗	✗
Timor-Leste	✗	✗	✗	✗	✗	✗	✗
Turkey	✗	✓	✗	✗	✗	✗	✗
Turkmenistan	✗	✗	✗	✗	✗	✗	✗
United Arab Emirates	✗	✓	✓	✗	✗	✗	✗
Uzbekistan	✗	✗	✗	✗	✗	✗	✗
Viet Nam	✗	✗	✗	✗	✗	✗	✗
Yemen	✗	✗	✗	✗	✗	✗	✗

Europe

Albania	✗	✗	✗	✗	✗	✗	✗
Andorra	?	✓	✓	✗	✗	✓	✗
Austria	✗	✓	✓	✗	✗	✓	✗
Belarus	✗	✓	✗	✗	✗	✗	✗
Belgium	✗	✓	✗	✗	✗	✓	✗

Notes: Data availability and methodology differ between targets. Data for the MIYCN indicators, excluding anaemia and low birth weight, is based on surveys that mostly cover low-income and lower-middle-income countries, thus no data is available for the higher-middle- and high-income countries. Data for anaemia, low birth weight and all the NCD indicators is available for all countries, but based on modelled estimates and age-standardised using the WHO standard population, which may differ from national surveys.

Key

Maternal, infant and young child nutrition indicators

✓	On course	✗	Off course
✓	Some progress	✗	No progress or worsening
?	No data or insufficient data for assessment	?	No data or insufficient data for assessment

Country	Maternal, infant and young child nutrition indicators					
	Childhood stunting	Anaemia	Low birth weight	Childhood overweight	Exclusive breastfeeding	Childhood wasting
Bosnia And Herzegovina	✗	✗	✓	✓	?	?
Bulgaria	✓	✗	✗	✓	?	?
Croatia	?	✗	✗	?	?	?
Czech Republic	✓	✗	✗	✓	?	?
Denmark	?	✗	✗	?	?	?
Estonia	✓	✗	✓	✓	?	?
Finland	?	✗	✓	?	?	?
France	?	✗	✗	?	?	?
Germany	✓	✗	✓	✓	?	?
Greece	✓	✗	✗	✓	?	?
Hungary	?	✗	✗	?	?	?
Iceland	?	✗	✓	?	?	?
Ireland	?	✗	✗	?	?	?
Italy	?	✗	✗	?	?	?
Latvia	?	✗	✓	?	?	?
Liechtenstein	?	?	?	?	?	?
Lithuania	?	✗	✓	?	?	?
Luxembourg	?	✗	✓	?	?	?
Macedonia	✓	✗	✗	✓	✗	✓
Malta	?	✗	✓	?	?	?
Moldova	✓	✗	✗	✓	?	?
Monaco	?	✗	✗	?	?	?
Montenegro	✗	✗	✗	✓	✗	✓
Netherlands	✓	✗	✗	✗	?	?
Norway	?	✗	✓	?	?	?
Poland	✓	?	✗	✗	?	?
Portugal	✓	✗	✗	✓	?	?
Romania	✓	✗	✗	✓	?	?
Russia	?	✗	✓	?	?	?
San Marino	?	✗	✓	?	?	?
Serbia	✓	✗	✓	✓	✓	✓
Slovak Republic	?	✗	✓	?	?	?
Slovenia	?	✗	✗	?	?	?
Spain	?	✗	✗	?	?	?
Sweden	?	✗	✓	?	?	?
Switzerland	?	✗	✗	?	?	?
Ukraine	✓	✗	✗	✓	?	?
United Kingdom	?	✗	✗	?	?	?

Source: UNICEF global databases Infant and Young Child Feeding (last available year 2019), UNICEF/WHO/World Bank Group: Joint child malnutrition estimates (last available year 2020), NCD Risk Factor Collaboration (last available year 2019 projections), WHO Global Health Observatory (last available year 2015), Global Dietary Database (last available year 2018).

Key

Nutrition-related NCD indicators

✓	On course
✗	Off course
?	No data or insufficient data for assessment

Country	Nutrition-related NCD indicators						
	Sodium intake (women and men)	Raised blood pressure (women)	Raised blood pressure (men)	Obesity (women)	Obesity (men)	Diabetes (women)	Diabetes (men)
Bosnia And Herzegovina	✗	✗	✗	✗	✗	✗	✗
Bulgaria	✗	✗	✗	✗	✗	✗	✗
Croatia	✗	✗	✗	✗	✗	✗	✗
Czech Republic	✗	✗	✗	✗	✗	✗	✗
Denmark	✗	✓	✓	✗	✗	✓	✓
Estonia	✗	✗	✗	✗	✗	✗	✗
Finland	✗	✓	✓	✗	✗	✓	✓
France	✗	✓	✓	✗	✗	✗	✗
Germany	✗	✓	✓	✗	✗	✓	✗
Greece	✗	✓	✗	✗	✗	✗	✗
Hungary	✗	✗	✗	✗	✗	✗	✗
Iceland	✗	✓	✗	✗	✗	✓	✓
Ireland	✗	✓	✓	✗	✗	✗	✗
Italy	✗	✓	✓	✗	✗	✓	✗
Latvia	✗	✗	✗	✗	✗	✗	✗
Liechtenstein	?	?	?	?	?	?	?
Lithuania	✗	✗	✗	✗	✗	✗	✗
Luxembourg	✗	✓	✓	✗	✗	✓	✗
Macedonia	✗	✗	✗	✗	✗	✗	✗
Malta	✗	✓	✓	✗	✗	✓	✗
Moldova	✗	✗	✗	✗	✗	✗	✗
Monaco	?	?	?	?	?	?	?
Montenegro	✗	✗	✗	✗	✗	✗	✗
Netherlands	✗	✓	✓	✗	✗	✓	✓
Norway	✗	✓	✓	✗	✗	✓	✓
Poland	✗	✗	✗	✗	✗	✗	✗
Portugal	✗	✓	✗	✗	✗	✗	✗
Romania	✗	✗	✗	✗	✗	✗	✗
Russia	✗	✓	✗	✗	✗	✗	✗
San Marino	?	?	?	?	?	?	?
Serbia	✗	✗	✗	✗	✗	✗	✗
Slovak Republic	✗	✗	✗	✗	✗	✗	✗
Slovenia	✗	✗	✗	✗	✗	✗	✗
Spain	✗	✓	✓	✗	✗	✓	✗
Sweden	✗	✓	✓	✗	✗	✓	✓
Switzerland	✗	✗	✗	✗	✗	✓	✗
Ukraine	✗	✗	✗	✗	✗	✗	✗
United Kingdom	✗	✓	✓	✗	✗	✗	✗

Notes: Data availability and methodology differ between targets. Data for the MIYCN indicators, excluding anaemia and low birth weight, is based on surveys that mostly cover low-income and lower-middle-income countries, thus no data is available for the higher-middle- and high-income countries. Data for anaemia, low birth weight and all the NCD indicators is available for all countries, but based on modelled estimates and age-standardised using the WHO standard population, which may differ from national surveys.

Key

Maternal, infant and young child nutrition indicators

✓	On course	✗	Off course
✓	Some progress	✗	No progress or worsening
?	No data or insufficient data for assessment	?	No data or insufficient data for assessment

Country **Maternal, infant and young child nutrition indicators**

Childhood stunting	Anaemia	Low birth weight	Childhood overweight	Exclusive breastfeeding	Childhood wasting

Latin America

Antigua And Barbuda	?	✗	✗	?	?	?
Argentina	✗	✓	✗	✓	?	✓
Bahamas	?	✗	✗	?	?	?
Barbados	✓	✗	?	✓	?	?
Belize	✓	✗	✗	✓	✓	✓
Bolivia	✓	✓	✗	✓	✗	✓
Brazil	✗	✓	✗	✓	?	?
Chile	✓	✗	✗	✓	?	✓
Colombia	✓	✓	✗	✓	✗	✓
Costa Rica	✗	✗	✗	✓	✗	✓
Cuba	✗	✓	✗	✓	✗	?
Dominica	?	✗	?	?	?	?
Dominican Republic	✓	✓	✗	✓	✗	✓
Ecuador	✗	✗	✗	✗	?	✓
El Salvador	✓	✗	✗	✓	✓	✓
Grenada	?	✗	?	?	?	?
Guatemala	✓	✓	✓	✓	✓	✓
Guyana	✓	✓	✗	✓	✗	✗
Haiti	✓	✗	?	✓	✗	✓
Honduras	✓	✗	✗	✗	?	?
Jamaica	✗	✗	✗	✓	?	✓
Mexico	✓	✓	✗	✓	✓	✓
Nicaragua	✓	✗	✗	✓	?	?
Panama	✓	✓	✗	✓	?	?
Paraguay	✓	✗	✗	✗	✓	✓
Peru	✓	✗	✗	✓	✗	✓
Saint Kitts And Nevis	?	✗	?	?	?	?
Saint Lucia	✓	✗	?	✓	?	?
Saint Vincent And The Grenadines	?	✗	?	?	?	?
Suriname	✓	✗	✗	✓	✓	✗
Trinidad And Tobago	✗	✗	✗	✗	?	?
Uruguay	✓	✗	✓	✓	?	✓
Venezuela	✓	✗	✗	✓	?	?

Key

Nutrition-related NCD indicators

✓	On course
✗	Off course
?	No data or insufficient data for assessment

Country **Nutrition-related NCD indicators**

Sodium intake (women and men)	Raised blood pressure (women)	Raised blood pressure (men)	Obesity (women)	Obesity (men)	Diabetes (women)	Diabetes (men)

Latin America

Antigua And Barbuda	✗	✗	✗	✗	✗	✗
Argentina	✗	✓	✗	✗	✗	✗
Bahamas	✗	✓	✗	✗	✗	✗
Barbados	✗	✗	✗	✗	✗	✗
Belize	✗	✗	✗	✗	✗	✗
Bolivia	✗	✗	✗	✗	✗	✗
Brazil	✗	✓	✗	✗	✗	✗
Chile	✗	✓	✗	✗	✗	✗
Colombia	✗	✗	✗	✗	✗	✗
Costa Rica	✗	✗	✗	✗	✗	✗
Cuba	✗	✗	✗	✗	✗	✗
Dominica	✗	✗	✗	✗	✗	✗
Dominican Republic	✗	✗	✗	✗	✗	✗
Ecuador	✗	✗	✗	✗	✗	✗
El Salvador	✗	✗	✗	✗	✗	✗
Grenada	✗	✗	✗	✗	✗	✗
Guatemala	✗	✗	✗	✗	✗	✗
Guyana	✗	✗	✗	✗	✗	✗
Haiti	✗	✗	✗	✗	✗	✗
Honduras	✗	✗	✗	✗	✗	✗
Jamaica	✗	✗	✗	✗	✗	✗
Mexico	✗	✗	✗	✗	✗	✗
Nicaragua	✗	✗	✗	✗	✗	✗
Panama	✗	✗	✗	✗	✗	✗
Paraguay	✗	✗	✗	✗	✗	✗
Peru	✗	✓	✗	✗	✗	✗
Saint Kitts And Nevis	?	✗	✗	✗	✗	✗
Saint Lucia	✗	✗	✗	✗	✗	✗
Saint Vincent And The Grenadines	✗	✗	✗	✗	✗	✗
Suriname	✗	✗	✗	✗	✗	✗
Trinidad And Tobago	✗	✗	✗	✗	✗	✗
Uruguay	✗	✓	✓	✗	✗	✗
Venezuela	✗	✓	✗	✗	✗	✗

Source: UNICEF global databases Infant and Young Child Feeding (last available year 2019), UNICEF/WHO/World Bank Group: Joint child malnutrition estimates (last available year 2020), NCD Risk Factor Collaboration (last available year 2019 projections), WHO Global Health Observatory (last available year 2015), Global Dietary Database (last available year 2018).

Notes: Data availability and methodology differ between targets. Data for the MIYCN indicators, excluding anaemia and low birth weight, is based on surveys that mostly cover low-income and lower-middle-income countries, thus no data is available for the higher-middle- and high-income countries. Data for anaemia, low birth weight and all the NCD indicators is available for all countries, but based on modelled estimates and age-standardised using the WHO standard population, which may differ from national surveys.

Key

Maternal, infant and young child nutrition indicators

✓	On course	✗	Off course
✓	Some progress	✗	No progress or worsening
?	No data or insufficient data for assessment	?	No data or insufficient data for assessment

Country **Maternal, infant and young child nutrition indicators**

Childhood stunting	Anaemia	Low birth weight	Childhood overweight	Exclusive breastfeeding	Childhood wasting

Northern America

Canada	?	✗	✗	✓	?	?
United States	✓	✗	✗	✓	✓	✓

Oceania

Australia	✓	✗	✗	✗	?	?
Federated States Of Micronesia	?	✗	?	?	?	?
Fiji	✓	✗	?	✓	?	?
Kiribati	✓	✗	?	✓	✗	?
Marshall Islands	✓	✗	?	✓	?	?
Nauru	✓	✗	?	✓	?	?
New Zealand	?	✗	✓	?	?	?
Palau	?	✗	?	?	?	?
Papua New Guinea	✗	✗	?	✓	?	?
Samoa	✗	✗	?	✓	✓	✓
Solomon Islands	✓	✗	?	✗	✓	?
Tonga	✓	✗	?	✓	✗	✓
Tuvalu	✗	✗	?	✓	?	?
Vanuatu	✗	✗	✗	✓	✓	✓

Key

Nutrition-related NCD indicators

✓	On course
✗	Off course
?	No data or insufficient data for assessment

Country **Nutrition-related NCD indicators**

Sodium intake (women and men)	Raised blood pressure (women)	Raised blood pressure (men)	Obesity (women)	Obesity (men)	Diabetes (women)	Diabetes (men)

Northern America

Canada	✗	✓	✓	✗	✗	✗	✗
United States	✗	✗	✗	✗	✗	✗	✗

Oceania

Australia	✗	✓	✓	✗	✗	✓	✓
Federated States Of Micronesia	✗	✗	✗	✗	✗	✗	✗
Fiji	✗	✗	✗	✗	✗	✗	✗
Kiribati	✗	✗	✗	✗	✗	✗	✗
Marshall Islands	✗	✗	✗	✗	✗	✗	✗
Nauru	?	✗	✗	✗	✗	✗	✓
New Zealand	✗	✓	✓	✗	✗	✗	✗
Palau	?	✗	✗	✗	✗	✗	✗
Papua New Guinea	✗	✗	✗	✗	✗	✗	✗
Samoa	✗	✗	✗	✗	✗	✗	✗
Solomon Islands	✗	✗	✗	✗	✗	✗	✗
Tonga	✗	✗	✗	✗	✗	✗	✗
Tuvalu	?	✗	✗	✗	✗	✗	✗
Vanuatu	✗	✗	✗	✗	✗	✗	✗

Source: UNICEF global databases Infant and Young Child Feeding (last available year 2019), UNICEF/WHO/World Bank Group: Joint child malnutrition estimates (last available year 2020), NCD Risk Factor Collaboration (last available year 2019 projections), WHO Global Health Observatory (last available year 2015), Global Dietary Database (last available year 2018).

Notes: Data availability and methodology differ between targets. Data for the MIYCN indicators, excluding anaemia and low birth weight, is based on surveys that mostly cover low-income and lower-middle-income countries, thus no data is available for the higher-middle- and high-income countries. Data for anaemia, low birth weight and all the NCD indicators is available for all countries, but based on modelled estimates and age-standardised using the WHO standard population, which may differ from national surveys.